

LUNDEEN & DICKINSON, L.L.P.

Attorneys and Counselors ~ Intellectual Property Law

P.O. Box 131144 • Houston, Texas • 77219-1144
1916 Baldwin • Houston, Texas 77002
Telephone • 713-652-2555 • Facsimile • 713-652-2556

RECEIVED
CENTRAL FAX CENTER
MAR 14 2005

FACSIMILE TRANSMISSION

TO: 17038729306

FROM: Marcee Lundeen

DATE: 3/14/2005

SUBJECT: US Ser. No. 10/065,274; Filed 9/30/02; Our Ref. USI-35

THIS FACSIMILE TRANSMISSION MAY CONTAIN INFORMATION WHICH IS PRIVILEGED, OR OTHERWISE CONFIDENTIAL. IF YOU ARE NOT THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISCLOSURE, USE, OR DISSEMINATION OF THIS INFORMATION IS IMPROPER AND PROHIBITED. IF YOU HAVE RECEIVED THIS TRANSMISSION IN ERROR, KINDLY CALL THE SENDER COLLECT TO ARRANGE FOR ITS RETURN.

MESSAGE:

Enclosed please find our response to the 12/13/04 Office Action in connection with the above referenced application.

RECEIVED
CENTRAL FAX CENTER


MAR 14 2005

Certificate Of Facsimile Transmission (37 CFR 1.8a)

I hereby certify that this paper (along with any document or fee referred to as being attached or enclosed), consisting of 13 pages, is being sent by facsimile on the date shown below to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, at facsimile number (703) 872-9306.

March 14, 2005

Date


Marcee G. Lundeen

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: James Feine	§	
	§	Group Art Unit: 3732
SERIAL NO.: 10/065,274	§	
	§	EXAMINER: Todd E. Manahan
FILED: September 30, 2002	§	
	§	
TITLE: DENTAL SCALER	§	
ENHANCEMENTS	§	

RESPONSE TO OFFICE ACTION DATED December 13, 2004

Atty. Docket No.: USI-35

Date: March 14, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir or Madam:

Applicant acknowledges receipt of the Office Action dated December 30, 2004 and in response requests that the above-identified application be amended as follows.

Please find enclosed the following sections:

Amendments to the Claims, beginning on page 2

Remarks, beginning on page 7.